Department of Climate Change, Energy, the Environment and Water

Home Energy Saver loan guidelines

25 June 2026

NSW GOVERNMENT

Acknowledgement of Country

Department of Climate Change, Energy, the Environment and Water acknowledges the traditional custodians of the land and pays respect to Elders past, present and future.

We recognise Australian Aboriginal and Torres Strait Islander peoples' unique cultural and spiritual relationships to place and their rich contribution to society.

Artist and designer Nikita Ridgeway from Aboriginal design agency – Boss Lady Creative Designs, created the People and Community symbol.

Home Energy Saver loan guidelines

Published by NSW Department of Climate Change, Energy, the Environment and Water

energy.nsw.gov.au

First published: June 2026

ISBN/ISSN: 978-1-76186-212-0

Copyright and disclaimer

© State of New South Wales through Department of Climate Change, Energy, the Environment and Water 2026. Information contained in this publication is based on knowledge and understanding at the time of writing, June 2026, and is subject to change. For more information, please visit the following websites:

For ECCS documents: https://www.energy.nsw.gov.au/copyright
For Water and Environment https://www.environment.nsw.gov.au/about-us/copyright-and-disclaimer
For General NSW Government https://www.nsw.gov.au/nsw-government/copyright

Contents

Acknowledgement of Country ii
Introduction 5
Home Energy Saver overview 6
Purpose and aims 6
What is on offer 6
Home Energy Saver offers discounts and loans 6
Using this guide 7
Loan eligibility criteria 7
Exclusions 7
Eligible energy saving upgrades 8
Roles and responsibilities 8
Your role 8
To receive a loan, you will need to: 8
Customer loan agreement 9
Customer installation agreement 9
Nomination forms (for claiming other energy efficiency incentives) 10
Our role 10
The NSW Government will: 10
The NSW Government is not: 10
The Finance Provider's role 10
The Finance Provider will: 10
The role of the Finance Provider's Approved Suppliers 11
Your Approved Supplier will: 11
Loan process 12
Step 1: Explore your options 12
Step 2: Choose your upgrade 12
Step 3: Apply for a loan 12
Step 4: Accept your loan agreement 12
Step 5: Installation of your upgrade and payment 13
Step 6: Settle your loan and commence repayment 13
Questions, feedback and complaints 14

Other offers available **14**

Appendix **15**

Approved products 15

Part A: Approved product list 15

Part B: Minimum product specifications 18

Introduction

Rising energy costs are putting pressure on NSW households, with around one-third reporting difficulty paying their energy bills in October 2025[1]. To help ease this pressure, the NSW Government has launched Home Energy Saver which will provide incentives to enable cheaper home energy saving upgrades.



Home Energy Saver is part of the NSW Consumer Energy Strategy, released in September 2024. The strategy helps households and small businesses access affordable, clean energy. Through Home Energy Saver, the NSW Government will invest $238.9 million to help eligible households install energy saving upgrades like rooftop solar systems and insulation.

[1] Energy Consumers Australia (2025), 'The Consumer Energy Report Card Household Research Report – Spring 2025', Energy Consumers Australia, accessed 6 February 2026.

Home Energy Saver overview

Purpose and aims

Home Energy Saver can help lower your bills, improve your comfort at home and help you take control of your energy use. Eligible households can get a discount or zero-interest loan to purchase energy saving upgrades for their home such as rooftop solar, residential batteries, air conditioners, insulation and more.

Home Energy Saver aims to:

- help households lower their energy bills
- make energy saving upgrades accessible for more households
- reduce greenhouse gas emissions
- support grid reliability.

What is on offer

Home Energy Saver offers discounts and loans

You can apply for a zero-interest loan, of up to $15,000, to help with the upfront costs for approved energy saving upgrades. If eligible, you may also qualify for a discount of up to $4,000 on your upgrades.

Discounts on energy saving upgrades are coming soon. If you would like to apply for a discount and loan, it is recommended you apply for the discount first. You may be eligible for a discount if your household has an income of up to $80,000 a year or if someone in your household holds an eligible concession card.

The same energy saving upgrades are eligible for discounts and loans.

Read the discount guidelines when discounts open to check if you are eligible for a discount. Sign up to our mailing list at energy.nsw.gov.au/home-energy-saver to be notified when discounts are available. You can also use our Energy Savings Calculator at energy.nsw.gov.au/households/tools/calculator to find out how much you could save on your energy bills with energy efficient upgrades.

Discounts:
A discount up to a maximum value of $4,000

Zero interest loans:
A zero-interest loan up to a maximum value of $15,000

Using this guide

These guidelines provide information to households interested in a loan. It includes important information such as eligibility criteria and your responsibilities if you take part.

Before you apply, please read these guidelines carefully to understand how the offer works and what is expected. You should also read our frequently asked questions.

Loan eligibility criteria

You may be eligible for a loan if you meet the eligibility criteria below and none of the exclusions apply.

- NSW dwellings: The dwelling must be in NSW.
- Borrower residency: The borrower must be an Australian citizen or permanent resident.
- Household income limit: Borrowers must have a combined, taxable household income of up to $210,000.
- Ownership: The borrower must own the property, either as an owner-occupier or landlord.
- Eligible upgrades: The Home Energy Saver loan finances the upgrade by the borrower of an eligible technology which meets the eligible technologies requirements (see Appendix).

Note: A Nationwide House Energy Rating Scheme (NatHERS) home assessment and certificate will be optional as part of the loan application process for obtaining a Home Energy Saver loan.

Exclusions

You cannot receive a loan if your:

- Property has already received up to $15,000 of upgrades using a Home Energy Saver loan with your household.
- Property is a social or community housing property or used for short-stay rental accommodation.

Eligible energy saving upgrades

You can use a loan to help pay for the following approved energy saving upgrades:

- rooftop solar photovoltaic (PV) modules
- residential battery energy storage system
- heat pump water heater
- solar hot water heater (electric boosted)
- reverse cycle air conditioner
- ceiling insulation
- double-glazed windows or doors
- induction cooktop replacing gas cooktop
- electric vehicle (EV) Level 2 charger
- draught proofing windows and doors
- ceiling fans
- switchboard upgrade
- NatHERS home energy assessment.

See Appendix for specific technical standards which apply to these upgrades. Your approved supplier will ensure these standards are met as part of the installation process.

Note: Your loan only applies to the upgrade and its installation. It cannot be used for any extra work your property might need to get ready for installation. If your home needs additional work, make sure this is quoted separately so it is clear what is included.

Roles and responsibilities

Your role

To receive a loan, you will need to:

- Visit the energy.nsw.gov.au/home-energy-saver to find an approved Finance Provider.
- Contact a New Energy Tech Consumer Code (NETCC) approved supplier(s) from the Finance Providers list to arrange a quotation for purchase and installation of an eligible energy saving upgrade.
- Review the quotes provided and select the one that best suits your budget and needs. This includes agreeing to the quoted customer contribution, warranty period and any exclusions.

- Using the link provided to you by the approved supplier, apply for a Home Energy Saver loan by providing information to an approved Finance Provider to evidence your eligibility and your ability to repay the loan.
- Agree to the Finance Provider loan agreement. This is a legally binding contract between you and the Finance Provider, so it is important that you read and consider it carefully. Please note this contract is between you and the Finance Provider. The NSW Government is not involved in this agreement.
- Enter into a customer installation agreement with your chosen approved supplier. This is a legally binding contract between you and the approved supplier so it is important that you read and consider it carefully. Please note this contract is between you and the approved supplier. The NSW Government and the is not involved in this agreement.
- Provide reasonable access to the property for installers and take all necessary steps to ensure their safety, including securing pets, clearing access areas, and removing hazards from installation zones.
- Ensure a responsible person aged 18 or over is home during the installation of your upgrade.
- Confirm that your upgrade has been installed. The Finance Provider will ask you this.
- Commence repaying your loan in accordance with your loan agreement.
- Agree to the collection of information for program reporting, ongoing management and improvements to the program. For more information on how we collect, use and store your information please read our privacy notice.

Customer loan agreement

The Customer Loan Agreement is between you and the Finance Provider. It sets out the terms for receiving your Home Energy Saver loan.

It will ask you to provide details like your name and address, and your home's National Meter Identifier (NMI)[2]. If you live in a strata property, you will also need to provide consent from your owners corporation to go ahead with the installation.

If you are a landlord you will need to confirm that your tenant has consented to the energy saving upgrade.

Customer installation agreement

The customer installation agreement is between you and an approved supplier. You will need to complete this agreement before any installation takes place.

[2] A National Meter Identifier (NMI) is a unique number that identifies the electricity connection at your home. It helps energy companies make sure your electricity use is correctly linked to your address and that your bills are accurate. You can find your NMI on the first page of your electricity bill, usually near your account or supply details. It's typically a 10- or 11-digit number. If you can't find your bill, your electricity retailer can provide your NMI, and in some cases it may also be printed on your electricity meter.

This is a legal contract between you and the approved supplier. The agreement will reflect the product you are purchasing, any other government incentives that apply, warranty terms and any exclusions.

Nomination forms (for claiming other energy efficiency incentives)

Your installation may qualify for other national or NSW energy saving incentives that can save you further money on your upgrade. This includes the:

- Energy Savings Scheme
- Peak Demand Reduction Scheme
- Small-scale Renewable Energy Scheme
- Home Energy Saver discount*.

To receive these incentives, you may need to satisfy other eligibility requirements relevant to those schemes and complete an application process. Your approved supplier will be able to assist you with this process.

*Home Energy Saver discounts on energy saving upgrades are coming soon. If you would like to apply for a discount and loan, it is recommended you apply for the discount first. You may be eligible for a discount if your household has an income of up to $80,000 a year or if someone in your household holds an eligible concession card.

Our role

The NSW Government will:

- oversee the overall delivery of the program by Finance Providers
- provide wholesale funding to the Finance Provider to deliver loans to eligible households
- set the minimum product standards.

The NSW Government is not:

- involved in the agreement between you and the approved supplier
- involved in the agreement between you and the Finance Provider
- responsible for the supply or installation of the products offered through Home Energy Saver – the approved supplier is responsible for this.

The Finance Provider’s role

The Finance Provider will:

- Provide an application and assessment process to confirm that customers meet the eligibility criteria outlined in these guidelines.

- Assess each application, including ensuring that responsible lending requirements are met. They will notify applicants of the outcome including reasons for unsuccessful applications.
- Maintain a list of Approved Suppliers who hold the necessary accreditations and licences to carry out upgrades under the Home Energy Saver loan program.
- Manage payments to suppliers of the loan funds on your behalf.
- Collect and manage information provided during the application, assessment and installation stages and supply this to the Energy Security Corporation securely and in line with privacy requirements.
- Manage customer enquiries, complaints and feedback throughout application, assessment and installation.
- Oversee the performance of suppliers and their installers to ensure installations meet program and regulatory standards.

The role of the Finance Provider's Approved Suppliers

Your Approved Supplier will:

- Supply an itemised quote showing the full cost of the upgrade, including the product cost, installation cost and the Home Energy Saver loan. An itemised quote will also show any discounts that have been applied from other federal or NSW incentives.
- Enter into a customer installation agreement with you, before installation.
- Arrange for the supply and installation of the selected upgrade. The Approved Seller will ensure the upgrade is installed correctly, meets all required regulations and is working as intended.
- Provide guidance on how to use and maintain your upgrade, including any maintenance or servicing requirements.
- Supply the relevant warranties for both the upgrade and the installation. These warranties outline what is covered and for how long.
- Support you throughout the installation process by answering any questions you may have about the upgrade, installation or how it works.

If you believe an installation company has been engaging in fraudulent or unethical activities relating to this offer, please lodge a complaint with NSW Fair Trading by calling 13 32 20 and report the scam to ScamWatch.

Loan process

This section outlines the steps to help you access a loan. It is designed to guide you from exploring your options through to installation.

Step 1: Explore your options

Start by reading these guidelines and our frequently asked questions. These explain the loan, eligibility and the energy saving upgrades you can choose from.

Next, think about which upgrade is best for your home and lifestyle. You can do this by:

- Visting the NSW Government's Energy Hub to learn how upgrades work and what benefits they offer. You can also use the tools and calculators to check if you are eligible and how much you could save.
- Find a participating Finance Provider at energy.nsw.gov.au/home-energy-saver.
- Talk to Approved Sellers to get quotes and advice.

Using these tools does not lock you into a decision or start an application. They are there to help you choose what is right for you.

Step 2: Choose your upgrade

Approved Sellers will share quotes with you, showing the loan amount and any other discounts to be applied. You are encouraged to take your time reviewing the quotes to ensure the selected upgrade suits your needs and budget.

You will need to advise the Approved Seller that you have decided to go ahead with the upgrade.

Step 3: Apply for a loan

Once you have decided on your energy saving upgrade, your Approved Seller will share with you a referral from your chosen Finance Provider. The referral, usually a link to their website, will have been pre-populated with information regarding the product and the total cost of its supply and install.

You will need to provide details such as proof of property ownership, your household income and complete a loan serviceability assessment.

Step 4: Accept your loan agreement

If your application is successful, the Finance Provider will notify you that you have been pre-approved and also notify the Approved Seller to contact you to agree on an installation date. You will need to agree to their loan agreement including terms and conditions.

Step 5: Installation of your upgrade and payment

Your Approved Seller will contact you to arrange the installation. Depending on the upgrade, this may involve multiple visits from different trades. After installation, your installer will show you how the upgrade works and explain any maintenance requirements.

Step 6: Settle your loan and commence repayment

Upon completion of the install, your Finance Provider will contact you to confirm that your installation has been completed and is working as intended. The Finance Provider will then pay the loan funds to the Approved Seller on your behalf.

The Finance Provider will then commence the loan deducting repayments from you in accordance with your loan agreement.

© Jessie Lindsay/DCCEEW

Questions, feedback and complaints

We will continue to update our frequently asked questions.

Questions about the process, including the status of your application and the next steps, should be directed to your Finance Provider.

Questions about installation, including timing and requirements at your home, should be directed to the Approved Seller.

Questions, feedback or complaints regarding the process, conduct or other activities regarding the install should be directed to the Approved Seller.

If your upgrade stops working, you should contact the Approved Seller or the manufacturer of the product, depending on the warranty terms for your upgrade.

Feedback or complaints about the Home Energy Saver program can be sent through the NSW Government's contact us form

Other offers available

If this offer is not the right choice for you, there are many rebates and offers available to help NSW households reduce their cost of living.

Find out more and check your eligibility by using the Energy Savings Finder.

Appendix

Approved products

The following are the eligible clean energy technologies for the Home Energy Saver loan program. The approved product criteria can be amended from time to time.

A product will only be considered an approved product if it:

- is the type of product listed in the table in Part A: Approved product list and complies with the requirements set out in that section of this Schedule
- complies with the Activity Requirements set out in column 1 of the table in Part B: Minimum Product Specifications corresponding to that type of product.

Part A: Approved product list

Home upgrade category	Home upgrade type
Building thermal performance	Draught proofing and external shading of windows, doors, chimneys and exhaust fans
Building thermal performance	Insulation (ceiling)
Building thermal performance	Double-glazed windows or doors
Appliances	Heat pump water heater or solar (electric boosted) water heater
Appliances	Reverse-cycle air conditioner
Appliances	AC or DC ceiling fans
Appliances	Induction cooktop (replacing gas or electric cooktop)
Appliances	Electric vehicle (EV) Level 2 charger
Electricity supply and demand management	Rooftop solar photovoltaic (PV) system
Electricity supply and demand management	Battery Energy Storage System
Electricity supply and demand management	Switchboard upgrade
Energy performance assessment services	Nationwide House Energy Rating Scheme (NatHERS) for existing homes assessment and certificate

For all activities

- Before any work commences, an electrical safety inspection, as described in Note 1 below, is required before anyone enters higher risk areas, such as the roof space to evaluate insulation. This covers all home upgrades listed as a minimum, except for double-glazing, external shading and draught proofing (which can be determined to be needing an electrical safety inspection depending on the specific situation).
- The company and installer undertaking the upgrade must hold the appropriate contractor licence(s).
- The products and installation must meet relevant Australian codes and standards, be professionally installed and be in compliance with the manufacturer's installation instructions.
- The installer must also remove and dispose of any equipment that is no longer required, and any waste, in a safe and compliant manner, in particular solar PV panels.
- Geo-tagged before and after photos must be provided clearly demonstrating the quality of the installation and decommissioning of any connections that are no longer required.
- The products must be installed by suitably qualified and licenced tradespersons with the relevant plumbing, electrical, refrigerant and gas licences, depending on the products being removed and installed.
- Must undertake the following requirements for ethical marketing including:
  - a description of ethical and inclusive marketing and publicity activities to be undertaken in connection with the Home Energy Saver Loan program
  - a commitment to open, respectful and non-coercive outreach
  - a prohibition on direct sales tactics, including door-to-door sales and cold calling
  - enforcement of these standards across the supplier's or subcontractor's (as applicable) installer network.
- Integration with other government programs: Before an eligible household receives a Home Energy Saver loan, suppliers and subcontractors must ensure that any relevant incentives or benefits available through existing Commonwealth and/or NSW Government energy programs are first applied to the participant, including those available under the NSW Energy Security Safeguard, covering, without limitation, the Energy Savings Scheme (ESS) and the Peak Demand Reduction Scheme (PDRS). This ensures the participant can combine both federal and/or state programs to reduce their overall costs.
- Notes 1, 2 3, 4 and 5 below must be followed.

Note 1

A household electrical safety inspection must be carried out by a licensed electrician before any electrical work commences, including before anyone enters high risk areas such as the roof space to evaluate and/or install insulation. This inspection does not need to be carried out separately for each activity. It may have been completed within the previous 12 months or completed prior to the installation activity, and needs to include an evaluation of:

- electricity supply capacity to the house

- any upgrades required to the meter, switchboard or wiring
- safety and condition of wiring, particularly in any areas to be accessed, such as the roof space, walls or under-floor or around exhaust fans, and compatibility with installation of insulation
- any upgrades required to minimise the risk of fire or electrocution
- capacity and condition of the current wiring circuits for exhaust or ceiling fans, hot water, heating and cooling and stovetop
- suitability of the current electricity supply, meter, switchboard and wiring for any activities being considered, such as the addition of a PV system, battery, EV charger or larger capacity air conditioner, particularly if considering three-phase installations.

Note 2

Any electrical work installation must be done by an electrician with a current NSW electrical license, as per NSW electrical licensing, and adhering to AS/NZS 3000.

Additionally, if an upgraded supply is needed to the house to install a new product, this requires an accredited service provider (ASP) to perform this work (this includes switchboard work or replacement). A notification of service work (NOSW) must be submitted to the Distribution Network Service Provider (DNSP) to notify of the increased demand in accordance with the NSW Service and Installation Rules and AS/NZS 3000.

Note 3

Any electrical work requires the installer to complete a Certificate of Compliance – Electrical Work (CCEW) form. A copy of the form must be forwarded to:

- The Obligor
- NSW Building Commission
- NSW Fair Trading
- The electricity retailer and metering provider
- The electricity distributor.

The form must be provided within 7 days of completion of the work.

Note 4

Any plumbing or drainage work requires the installer to complete a Certificate of Compliance for Plumbing and Drainage Work. A copy of the form must be forwarded to:

- The Obligor
- NSW Building Commission
- NSW Fair Trading or the local plumbing regulator, for the type of work requiring an inspection.

The form must be provided within 7 days of completion of the work.

Note 5

Any gas fitting work requires the installer to complete a Gas Supply Licensee's Certificate of Compliance. A copy of the form must be forwarded to:

- The Obligor
- NSW Building Commission
- NSW Fair Trading
- The relevant network operator.

The form must be provided within 5 business days of completion of the work.

Part B: Minimum product specifications

Building thermal performance

Draught-proofing and external shading of windows, doors, chimneys and exhaust fans

Activity requirements
Installation of measures that prevent air leakage through external windows, external doors, chimneys or exhaust fans that: a. meets the requirements of one or more of the following NSW Energy Savings Scheme activities, as amended from time to time: • E7: Modify an external door with draught-proofing • E8: Modify an external window with draught-proofing • E9: Modify a fireplace chimney by sealing with a damper • E10: Install an external blind to a window or door • E12: Modify an exhaust fan with a sealing product • D15: Replace an exhaust fan with a self-sealing exhaust fan b. is professionally installed c. if electrical work is required, the installer must also complete and submit a CCEW. Refer to Note 3 above.

Insulation (ceiling)

External insulation is excluded.

Activity requirements
Installation of new ceiling insulation for a residential home that: a. is installed by an Energy Efficiency Council (EEC) Certified Insulation Installer and follows all EEC requirements – this applies to all insulation installers engaged and working on the site b. is installed in compliance with AS 3999 and either Part J4D3 of NCC Volume One for building classes 2-9, or Part 13.2.2 of the ABCB Housing Provisions for Building Classes 1 and 10 c. is an insulation product which complies with the performance requirements of AS/NZS 4859.1, as evidenced by test reports from an accredited NATA laboratory, and has a warranty of at least 25 years d. is not a foil or foil-faced bulk insulation product, noting any type of conductive insulation materials are prohibited for use e. meets minimum thermal performance requirements of: • R3 for ceilings in NCC Climate Zones 2 or 3 • R3.5 for ceilings in NCC Climate Zones 4, 5 or 6 • R5 for ceilings in NCC Climate Zones 7 or 8 f. is only installed in ceiling spaces with an exposed roof (as defined by the National Construction Code)

g. is only installed following completion of an electrical safety check and electrical risk assessment, by a licenced electrician, who deems it safe to install insulation (see Note 1 above and Note 6 below)
h. is only installed following a check of the existing insulation (if present) in accordance with the Insulation Council of Australia and New Zealand (ICANZ) Ceiling Insulation Guidelines for Existing Homes3 to evaluate the type and condition of insulation, determine whether topping up the existing insulation or removing and replacing it will achieve the best outcome for the consumer, and ensure safety (see Note 7 below)
i. is installed in 95% of the ceiling area, which can have insulation installed
j. the cut outs around ceiling penetrations, such as downlights, are kept to the minimum permitted by regulation, and the requirements from AS/NZS 5110 for recessed luminaries must be followed where applicable (see Note 9 below)
k. use of metal staples must be excluded from any installation and is prohibited
l. must not be a combustible product, blow-in insulation, or cellulous-based product, and must not be any form of loose fill insulation
m. any existing insulation that needs to be removed and disposed of must be done in a safe and compliant manner
n. all insulation products used must be on the CodeMark registry
o. if electrical work is identified as being required during the safety check, and is completed, the installer must also complete and submit a CCEW – refer to note 3 above
p. completed certificate of insulation installation make, model and R-value of insulation product(s) sold.

Note 6

An insulation installer can organise an electrical safety check/inspection, but a licenced electrician must perform the inspection. The check aims to minimise any safety risks for the insulation installers and reduce the risk of fires or electrocution following the installation. It also ensures the home's electrical system is assessed as safe, in good condition, and compatible with the installation of insulation in the areas to be accessed during the installation.

If existing foil insulation is found in the roof cavity, then this must be removed and not be re-used and be disposed of safely and compliantly.

Note 7

Opportunities to 'top-up' the existing insulation rather than removing all the existing insulation (if still in usable condition) should be sought as a first option to reduce insulation waste, as long as a full electrical safety inspection can be performed and not be impacted/limited by the existing insulation. The Insulation Council of Australia and New Zealand (ICANZ) guidelines[4] for evaluating existing insulation should be used, with the installers needing to provide a letter of confirmation to the supplier or subcontractor (as applicable) confirming that the existing insulation can be revitalised and meet AS/NZS 3999 installation requirements. All insulation removed needs to be disposed of safely and in a compliant manner.

If the existing insulation does limit the ability to perform a full electrical safety inspection or is foil insulation, then the existing insulation must be removed (to also allow the electrical safety inspection to be done properly). New insulation must then be used for the installation, with the removed insulation not to be re-used.

Note 8

[3] ICANZ Guide to assessing ceiling insulation R-values in existing homes, p.7, When should ceiling insulation be upgraded?

[4] ICANZ Guide to assessing ceiling insulation R-values in existing homes, p.7, When should ceiling insulation be upgraded?

Structural work (roof) required to upgrade the insulation could be included and is subject to approval by the supplier or subcontractor (as applicable). Additional extensions or upgrades are excluded. The Seller or Subcontractor (as applicable) may require further evidence to demonstrate that structural work was required to upgrade the insulation.

Note 9

Any existing ceiling downlights, including halogen downlights, must be replaced with or upgraded to IC-4 rated fittings before any insulation work begins, in order to ensure they can be sealed and insulated. Additionally, any work requiring ceiling penetrations and roof access, such as updating light fittings, must be completed as much as possible before draught-proofing and insulating the ceiling.

Double-glazed windows or doors

Activity requirements
Installation of double-glazed windows or doors, or the installation of secondary glazing that: a. replace an external single glazed window or door with a thermally efficient window or door; b. modify an external window or glazed door by installing secondary glazing; c. has a maximum U value of 3.

Note 10

Homes in warmer climates or with higher heat loads should consider windows with a lower solar heat gain coefficient (SHGC) to limit the heat load from direct sunlight. Refer to the Australian Government's Your Home website[5] for guidance on SHGC and glazing.

Appliances

Heat pump water heater or solar (electric boosted) water heater

Activity requirements
Installation of a heat pump water heater or solar (electric boosted) water heater that: a. is installed by suitably qualified and licenced tradespersons with the relevant plumbing, electrical, refrigerant and gas licences, depending on the products being removed and installed (refer to Note 2 and Note 12 above); b. is listed on the IPART Accepted Products List for solar (electric boosted) water heaters or heat pump water heaters; c. is listed on the Clean Energy Regulator's register of air-source heat pump water heaters or solar water heaters; d. contains a refrigerant with a GWP of less than 700, as defined in Note 11 above, if it is a heat pump water heater; e. has a minimum 5-year whole-of-system warranty from the product manufacturer on all major components; f. includes the 'capping' of gas connections and removal of relevant gas appliances, if applicable; g. the installer must also complete and submit a CCEW (refer to Note 3 above); h. the installer must also complete and submit a 'Certificate of Compliance for Plumbing and Drainage Work', and a 'Gas Supply Licensee's Certificate of Compliance', if applicable (refer to Note 4 and Note 5 above); and i. includes the decommissioning of previous connections (gas, water, electrical, etc.) that are no longer required, if applicable.

[5] Australian Government Your Home website – Glazing

Note 11

GWP means the 100-year global warming potential (GWP-100) of a refrigerant gas as defined in Table 1 below, or as defined by the Department of Climate Change, Energy, the Environment and Water (the Department). Note that the names of refrigerants are often referred to interchangeably as R-### or HFC-### for hydrofluorocarbons and hydrofluorocarbon blends, and R-### or HFO-### for hydrofluoro-olefins.

Table 1: GWP of common refrigerants

Refrigerant	GWP	Refrigerant	GWP
R-1234yf	< 5	R-428A	3607
R-1234ze(E)	< 5	R-429A	13
R-125	3500	R-430A	94
R-1270 (Propene/Propylene)	< 5	R-43-10mee	1640
R-12A	< 5	R-431A	36
R-134a	1430	R-434A	3245
R-143a	4470	R-435A	26
R-152a	124	R-437A	1805
R-170 (Ethane)	< 5	R-438A	2264
R-227ea	3220	R-439A	1983
R-22A	< 5	R-440A	144
R-23	14800	R-442A	1888
R-236cb	1340	R-444A	87
R-236ea	1370	R-444B	293
R-236fa	9810	R-445A	129
R-245ca	693	R-446A	459
R-245fa	1030	R-447A	582
R-290 (Propane)	< 5	R-447B	739
R-32	675	R-448A	1386
R-365mfc	794	R-449A	1396
R-404A	3922	R-449B	1411

Refrigerant	GWP	Refrigerant	GWP
R-407A	2107	R-449C	1250
R-407B	2804	R-450A	601
R-407C	1774	R-451A	146
R-407D	1627	R-451B	160
R-407E	1552	R-452A	2139
R-407F	1825	R-452B	697
R-407G	1463	R-452C	2219
R-41	92	R-453A	1765
R-410A	2088	R-454A	236
R-410B	2229	R-454B	465
R-413A	2053	R-454C	145
R-417A	2346	R-455A	145
R-417B	3027	R-456A	684
R-417C	1809	R-457A	136
R-419A	2967	R-458A	1650
R-419B	2384	R-507A	3985
R-421A	2631	R-508A	13214
R-421B	3190	R-508B	13396
R-422A	3143	R-512A	189
R-422B	2526	R-513A	629
R-422C	3085	R-513B	593
R-422D	2729	R-515A	386
R-422E	2592	R-515B	292
R-423A	2280	R-600 (Butane)	< 5
R-424A	2440	R-600A (Isobutane)	< 5
R-425A	1505	R-601A (Isopentane)	< 5
R-426A	1508	R-717 (Ammonia)	< 5

Refrigerant	GWP	Refrigerant	GWP
R-427A	2138	R-744 (CO2)	< 5
Engas M50**	< 5	Engas M60**	< 5

*Engas M50 and M60 are proprietary blends of hydrocarbon refrigerants[6], with low GWP, similar to that of R-290 (Propane). Engas M50[7] is >75% Propane, <16% Propylene, <8% Ethan and < 1% Butane. Engas M60[8] is <35% Propane, >60% Propylene, <5% Isobutane, <1% Butane.

The above values of GWP (excluding Engas M50 and M60) were obtained from the Australian Government Department of Climate Change, Energy, the Environment and Water webpage on Hydrofluorocarbon refrigerants – global warming potential values and safety classifications[9], and are based on those listed in the Intergovernmental Panel on Climate Change (IPCC) fourth assessment report, 2007 (AR4)[10].

Note 12

At a minimum, solar water heater and heat pump water heater installers must hold a current plumbing license issued by NSW Fair Trading. An electrician with a current electrical license must complete any required electrical work. If the selected heat pump water heater is a split system comprising 2 components requiring refrigeration pipes to complete the refrigeration circuit, the installer must hold an Australian Refrigeration Council (ARC) refrigerant handling licence. If the selected hot water heat pump uses a flammable refrigerant (such as propane), any additional licencing and equipment requirements must be followed. A suitable, qualified installer must complete the decommissioning of gas water heaters and their connections.

Note 13

It is recommended that the heat pump water heater is installed with a user configurable timer (either within the unit, or within the circuit/meter box) to enable the limiting of heating to preferred times of day such as when there is excess electricity being generated by PV at the property, cheaper electricity tariffs, warmer temperatures (better efficiency), or to exclude running at night; however, the installer must ensure that this does not breach the heat pump water heater manufacturer's warranty or legionella control, and that the timer is suitable for the load it will be switching.

Note 14

[6] Engas

[7] Engas M50 Material Safety Data Sheet

[8] Engas M60 Material Safety Data Sheet

[9] DCCEEW Hydrofluorocarbon refrigerants GWPs

[10] Intergovernmental Panel on Climate Change (IPCC) fourth assessment report, 2007 (AR4)

To ensure product suitability and maximise system efficiency, selecting an appropriate system size for the household is recommended and ensuring that the minimum operating temperature specified on the product datasheet is lower than the minimum recorded temperature for the relevant climate, as specified by the Bureau of Meteorology (BOM). Solar Victoria[11] and the Victorian Energy Upgrade Program[12] provide some useful general guidance on selecting and sizing water heaters. Refer to the Clean Energy Regulator's and Victorian Energy Upgrade's product registers, and the NSW IPART public list of accepted products[13] to learn more about the different heat pump water heaters and solar (electric boosted) water heaters available on the market, their annual energy savings in your climate zone, tank volume and refrigerant; and refer to the NSW What you need to know about installing heat pump water heaters webpage[14].

Note 15

To ensure product suitability and maximise system efficiency, selecting an appropriate system size for the household is recommended and ensuring that the minimum operating temperature specified on the product datasheet is lower than the minimum recorded temperature for the relevant climate, as specified by the Bureau of Meteorology (BOM). Solar Victoria[15] and the Victorian Energy Upgrade Program[16] provide some useful general guidance on selecting and sizing water heaters. Refer to the Clean Energy Regulator's and Victorian Energy Upgrade's product registers, as well as the NSW IPART public list of accepted products[17] to learn more about the solar and heat pump water heaters available on the market. These resources provide information on annual energy savings specific to your climate zone, refrigerant types and tank volumes. For installation guidance, visit the NSW Government's webpage: What you need to know about installing heat pump water heaters[18].

Air conditioner

Activity requirements
Installation of a reverse-cycle air conditioner that: a. is installed by suitably qualified and licenced tradespersons with the relevant plumbing, electrical, refrigerant and gas licences, depending on the products being removed and installed (refer to Note 2 above)

[11] Solar Victoria: Water heater sizing

[12] VEU Guidance on selecting hot water systems

[13] CER Register of Heat Pump Water Heaters , CER Register of Solar Water Heaters, Solar water heater models with a capacity of less than 700 L, Register of solar water heaters with a capacity of less than 700l, VEU product register, NSW IPART public list of accepted products

[14] NSW What you need to know about installing heat pump water heaters

[15] Solar Victoria: Water heater sizing

[16] VEU Guidance on selecting hot water systems

[17] CER Register of Solar Water Heaters, VEU Product Register, NSW IPART public list of accepted products

[18] NSW What you need to know about installing heat pump water heaters

b. is a reverse-cycle air conditioner (not cooling only, nor heating only) with a product class defined on the Greenhouse and Energy Minimum Standards (GEMS) registry for air conditioners of either:

- Product Class 5-7 (Unitary),
- Product Class 8-12 (Single Split-System)
- Product Class 18-21 (Multiple Split-System)

c. contains a refrigerant with a GWP of less than 700, as defined in Note 11 above, if the air conditioner has:

- a product class of 5, 8, 9, 10, 18 or 19 or
- product class of 11 and a rated cooling capacity of less than 20kW.

d. has a minimum 5-year warranty from the air conditioner manufacturer
e. is designed and installed in accordance with AS/NZS 5141:2018
f. includes decommissioning, removal and compliant disposal of existing appliances and unused connections (refer to Note 16 below)
g. the installer must also complete and submit a CCEW (refer to Note 3 above);
h. the installer must also complete and submit a 'Certificate of Compliance for Plumbing and Drainage Work', and a 'Gas Supply Licensee's Certificate of Compliance', if applicable (refer to Note 4 and Note 5 above); and
i. includes the decommissioning of previous connections (gas, water, electrical, etc.) that are no longer required, if applicable.

Note 16

The air conditioner may replace an existing air conditioner, evaporative cooler, gas heater, electric resistance heater or other heating or cooling appliance. The decommissioning, removal and compliant disposal of any existing appliances and unused connections must be carried out by suitably qualified and licenced tradespersons with the relevant plumbing, electrical, refrigerant and gas licences.

Note 17

To ensure product suitability and maximise system efficiency, selecting an appropriate system size for the household is recommended and ensuring that the minimum operating temperature specified on the product datasheet is lower than the minimum recorded temperature for the relevant climate, as specified by the Bureau of Meteorology (BOM). The Victorian Energy Upgrade Program[19] provides some useful general guidance on selecting and sizing air conditioners. Refer to the Greenhouse and Energy Minimum Standards (GEMS) register to learn more about the different air conditioners available on the market, their cooling and heating capacities at different outdoor air temperatures, particularly if you are in a cooler climate, and their efficiency and star ratings in your climate zone.

Ceiling fans

Activity requirements
Installation of an AC or DC ceiling fan that is: a. installed by a licensed electrician (refer to Note 2 above) b. at a safe height which meets all Australian codes and standards c. the installer must also complete and submit a CCEW. Refer to Note 3 above.

Induction cooktop (replacing gas or electric cooktop)

[19] Victorian Energy Upgrades guidance on selection of air conditioners

Activity requirements
Installation of an induction cooktop that is: a. replacing a gas or electric cooktop; b. installed by a licensed electrician (refer to Note 2 above) c. permanently installed (mounted in-bench or hard-wired, not portable) d. includes the 'capping' of gas connections and removal of relevant gas appliances by persons with the appropriate licenses, if applicable e. if modifications to existing engineered stone are required, the guidance[20] provided by SafeWork Australia is followed by a suitably qualified tradesperson, and the WHS regulator is notified[21] of the work f. the installer must also complete and submit a CCEW. Refer to Note 3 above g. the installer must also complete and submit a 'Gas Supply Licensee's Certificate of Compliance', if applicable. Refer to Note 5 above.

Electric vehicle (EV) charger

Activity requirements
Installation of a Level 2 EV charger that is: a. installed by a licensed electrician (refer to Note 2 above) b. purchased from a New Energy Tec (NET) Approved Seller under the (NETCC) c. if installed in a Strata managed building, must follow the requirements outlined in the Strata Schemes Management Act[22]. d. The installer must also complete and submit a CCEW. Refer to Note 3 above.

Electricity supply and demand management

Rooftop solar photovoltaic (PV) system

Activity requirements
The installation of a solar photovoltaic (PV) system, or the addition of PV modules to an existing system or embedded network, that: a. is designed and installed by a Solar Accreditation Australia (SAA) accredited designer and installer b. meets SAA design and installation guidelines c. is an eligible small-scale renewable energy system under the Clean Energy Regulator's (CER's) Small-scale Renewable Energy Scheme (SRES) d. has its modules (panels) and inverter(s) (if required) listed on the Clean Energy Council's (CEC) list of approved components. If an inverter is installed, it must have a communication channel that is compliant with IEEE 2030.5 CSIP-AUS, either hosted locally on the inverter or a gateway device, or via a certified cloud connection to the network operator utility server e. is classified as small-scale by CER (no more than 100 kW total system capacity and generating less than 250 MWh of total system annual electricity output) f. is purchased from a New Energy Tech (NET) Approved Seller under the New Energy Tech Consumer Code (NETCC)

[20] Engineered stone prohibition Guidance for PCBUs June 2024

[21] Safe Work Australia Engineered stone ban

[22] NSW Strata Schemes Management Act 2015 No 50

g. is registered in the AEMO Distributed Energy Resource (DER) Register[23], and updated for all system components (inverter, PV modules)
h. the installer must also complete and submit a CCEW. Refer to Note 3 above.

Note 18

When the NSW Consumer Energy Resources Installer Portal is released in the future, this must also be used by the installer.

Battery Energy Storage System

Activity requirements
Installation of a Battery Energy Storage System (BESS) that: a. is installed by a battery installer accredited by Solar Accreditation Australia (SAA) and signed off by a person accredited by SAA for both battery design and installation. This includes systems classified as Grid Connected Battery Systems (GCBS) for on-grid applications and Stand Alone Power Systems (SAPS) for off-grid installations b. is installed in accordance with AS/NZS 5139 and the industry-developed Best Practice Guide: Battery Storage Equipment c. has its battery(s) and inverter(s) (if required) listed on the Clean Energy Council's (CEC) list of approved components. If an inverter is installed, it must have a communication channel that is compliant with Institute of Electrical and Electronics Engineers (IEEE) 2030.5 CSIP-AUS, either hosted locally on the inverter or a gateway device, or via a certified cloud connection to the network operator utility server d. has a Usable Battery Capacity greater than 5 KWh as recorded on the Clean Energy Council's (CEC) approved product lists (refer to Note 19 below) e. is internet connectable and controllable by a Demand Response Aggregator to enable connection to a Virtual Power Plant (VPP). Meeting this requirement may require the existing inverter to be replaced or updated f. has a warranty of at least 10 years for each item of the system, and guarantees that at least 70% of Usable Battery Capacity is retained 10 years from the date the Battery Energy Storage System is installed at the site g. is installed at a site (defined by National Metering Identifier) which also has a behind the meter solar photovoltaic system h. is purchased from a New Energy Tech (NET) Approved Seller under the NETCC i. is registered on the AEMO DER Register[24], and updated for all system components (inverter, battery) j. has a working smoke alarm installed in the immediate vicinity that meets AS 3786, if the system is installed indoors k. the installer must also complete and submit a CCEW. Refer to Note 3 above.

Note 19

The upper threshold is aligned with the PDRS to meet the SRES upper threshold incentive requirements for maximum nominal battery capacity. The lower end of the battery threshold is set to ensure that SRES requirements for minimum nominal battery capacity can also be met.

Note 20

When the NSW Consumer Energy Resources Installer Portal is released in the future, this must also be used by the installer.

Switchboard upgrade

[23] AEMO DER Register, AEMO DER Register Quick Start Guide, AEMO DER Register FAQs

[24] AEMO DER Register, AEMO DER Register Quick Start Guide, AEMO DER Register FAQs

Activity requirements
The upgrading of the switchboard and any associated electrical work that is: a. completed by a licenced electrician (refer to Note 2 above) b. required to safely support the completion of another activity under the HESP, such as installation of PV modules, household battery, EV charging point, hot water system, air conditioner or insulation c. the installer must also complete and submit a CCEW. Refer to Note 3 above.

Energy performance assessment services

NatHERS for existing homes assessment and certificate

The Nationwide House Energy Rating Scheme (NatHERS) provides homeowners in New South Wales a standardised assessment of residential energy performance. For existing homes, it provides a Star Rating and Home Energy Rating. The Star Rating thermal assessment gives the estimated energy demand of a home's heating and cooling needs. It considers the home's local climate, design, materials and construction. The Home Energy Rating gives the estimated overall energy use of the home. It is based on the home's thermal performance combined with the major fixed appliances, and on-site solar generation and storage. The Home Energy Rating Certificate includes upgrade guidance of how the home's energy performance can be improved. The NatHERS ratings serve as a guide for identifying energy inefficiencies, informing renovation decisions, and supporting cost-effective energy use. NatHERS ratings support Australian households to understand their home's running costs and identify cost-effective upgrades to bring down energy bills. They also support New South Wales' commitment to rolling out its mandatory Home Energy Ratings Disclosure program.

Activity requirements
a. The NatHERS for existing homes assessment must be carried out by an accredited NatHERS assessor for existing homes assessor from the Assessor Register. b. The NatHERS for existing homes assessor must provide a tailored guide to potential upgrades.